

How do you improve something whose reputation is already grounded in performance and no-nonsense functionality?

You evolve it. Because there is always a way to do it better.





The Blue Seal Evolution Series is the next stage in a journey of continuous improvement. Sleeker in design, and built to accommodate the demands of today's most passionate chefs, it promises even more performance than anything before it.



kitchen equipment.

Advanced Open Burner	3
What's New	4
Cooktops	10
Induction Cooktops	14
Oven Ranges	18
Target Tops	22
Griddles	24
Chargrills	30
Salamanders	32
Fryers	34
Filtamax	36
Bratt Pans	37
Pasta Cooker	38
Bench Tops	36

Rethink. Redesign. Rebuild.

The Blue Seal Evolution Series is the culmination of a process in which the Blue Seal range has been completely redesigned. The result is an expanded, more functional range of equipment offering more configuration options and blistering performance. Improved streamlining creates a continuous workspace when units are placed in a line-up, while the 812mm of depth gives plenty of cooking area, even when you are forced to push culinary frontiers from the confines of a small kitchen.

It is truly Evolutionary.



If you can't stand the heat, turn it up.

Every chef could use a little more heat, so a new Advanced Open Burner has been designed to deliver just that – 28MJ of power to burn. For optimum performance with all pan sizes, precise controls offer a full range of heat settings within a compact flame.

Evolution. It's not just about good looks.

When your working day is an endless juggle of cooking instruments, you and your wrists will be glad of a flatter, more streamlined surface on which you can effortlessly slide pots and pans from one unit to another.





A heart of steel.

Heavy gauge 304 grade stainless steel is the cladding of choice for all units in the Blue Seal Evolution Series. All ranges are constructed on a full galvanised steel chassis, while fully framed drop down doors are fitted with a heavy-duty hinge system for a lifetime of operation.

So what's new?

Better features and more of them.

Enhanced features across an expanded range of equipment means the Blue Seal Evolution Series can be configured to perform in any situation.



New products include:

- 450mm and 900mm Induction Cooktop on cabinet base with doors
- 450mm electric Pasta Cooker 7kW or 10.5kW options
- Adjustable electric Salamander
- Modular stainless steel preparation benches in 450, 600 and 900mm
- Open cabinet bases in 450, 600, 900 and 1200
- Refrigerated bases in 900 and 1200mm
- 750mm Ranges with gas and electric, static and convection Oven options
- Heavy-duty, thermostatically controlled Griddles
- 80 and 120 litre Bratt Pans in gas or electric
- Target Tops as individual units, or with Oven Ranges in gas or electric
- 600mm Griddle Toaster
- 600mm Fish Fryer
- Digital control multi timer Fryer models



More heat in the moment. Blue Seal Evolution Series 28MJ Advanced Open Burners give you more heat to play with so you can get the big jobs done faster. From high to low heat/simmer, robust control knobs allow you to make subtle adjustments to get the heat setting just right. Made from cast iron for lasting performance, burners have a forged brass cap for consistent flame spread. A nonclogging design ensures optimum burner performance. Flame failure is standard. Pilot burners are optional.

A trio of Griddles, 1

The addition of 600, 900 and 1200mm dedicated Griddles offers new possibilities for customising your Blue Seal Evolution Series line-up. A standard, thermostatically controlled 20mm plate offers excellent heat retention and distribution. The mirrored chrome surface option provides exceptional efficiency by trapping more heat on the cooking surface.

Would you like a fridge with that? 2

Forget walking to the fridge every time – the Blue Seal Evolution Series' flexibility has made way for you to fit refrigeration units where you need them - so you can do your thing without leaving your station. Match your Cooktop, Griddle, or Target Top with a 900 or 1200mm gastronorm refrigerated base, available in a range of door/drawer combinations. All units accept 1/1 gastronorm sizing.

Blue Seal Evolution Series refrigeration units are rated for tropical temperatures up to 40°C and have a holding temperature of -2° to $+8^{\circ}$ C. A digital temperature control and an automatic defrosting and condensate heater are standard on all units.

Pasta Cooker. 3

Designed to cope with extreme pasta demand, the Blue Seal **Evolution Series Pasta Cooker** produces consistently perfect results, really coming into its own when there are multiple orders on the go.

More support up top. 4

Thanks to heavyweight iron castings and a full vitreous enamel finish, Blue Seal Evolution Series Cooktops are unphased by the calibre of punishment dished out by chefs on a daily basis. Extended pot support fingers provide added stability for eliminating small pan tip-overs.

Spread that heat. 4

Cooktops.

A solid simmer plate retains precious heat and spreads it evenly across pots and pans. It sits at the same level and is easily swapped with the pot supports on all Blue Seal Evolution Series Gas

Functional door design. 5

Drop down doors on all Blue Seal Evolution Series ovens make for easier single-handed operation. Fully framed, they are designed to withstand harsh treatment, while retaining an even seal close.

Life's too short to clean. 5

The Blue Seal Evolution Series has been redesigned to enhance creativity and reduce cleaning time. Rounded internal and external edges make wipe down and hygiene control easier. More streamlined surfaces make for effortless cleaning of an entire cooking line.

Service while you cook.

The Blue Seal Evolution Series has been designed so full service and maintenance can be carried out without removing a unit from the cooking line. The need to shut down a whole line to service one unit is minimised, allowing chefs to keep on cookina!

Our environment

All Moffat technology is both a product environment. That means that whether the design, development or construction stage



Tops and bottoms. It's your choice.

When it comes to selecting tops and bottoms, the Blue Seal Evolution Series offers a level of choice not seen before. With a bigger range of equipment, you have even more flexibility to configure your kitchen exactly the way you want it.







COOKTOP - CABINET







TARGET TOP - CABINET

TARGET TOP - LEG STAND



GRIDDLE - CABINET











BENCH - LEG STAND









BENCH - CABINET







Tools of the Evolution.

138



Turn up the heat.



Cooktops.

Blue Seal Evolution Series Cooktops are about functionality and performance.

If power to burn is what you need, the open top burners on the gas option deliver an impressive 28MJ of heat. A more uniform surface created by way of thicker, heavy-duty vitreous enamel trivets with extended finger supports means you can slide smaller pots and pans around the cooktop without fear of tip-over.

Blue Seal Evolution Series Electric Cooktops deliver all the heat you could possibly need through 2.4kW radiant elements or optional 2kW solid plates.

When the job requires a change of cooking surface, both gas and electric options can accommodate 300, 600 or 900mm griddle plates, in smooth or ribbed machine-finished mild steel. Chunky controls allow precise adjustment across the entire heat spectrum, while clear, non-fade markings and strengthened shaft sleeves make regular knob replacement a thing of the past.

Gas Cooktops.

Standard Features.

Heavy-duty 304 grade stainless steel finish 28MJ rated open burners 2, 4, 6 or 8 burner cooktop configuration Flame failure protection on all burners Heavy-duty cast iron burners and vitreous enamel pot stands Heavy-duty reinforced control knobs Griddles fitted with push-button piezo ignition 12mm griddle plate Mounted on leg stand with suite matching shelf Adjustable feet at front with rear rollers Easy clean, installation and service

Options.

Flame failure with standing pilot Choice of griddle surface – smooth, ribbed or both Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Adjustable feet at rear

Accessories.

Solid top simmer plates Mobile castor kit Joining caps



Gas Cooktops 300mm Blue Seal 2 Burner Cooktop variations.

G512D-B

G512C-B

Dimensions: W 300mm, D 812mm, H 315mm Incl. splashback 480mm



Optional standing pilot burner with flame failure protection provides instant, energy saving operation.







Gas Cooktops 600mm

Blue Seal 4 Burner Cooktop variations. Available in Bench, with Cabinet Base or with Leg Stand models.

G514D-B G514D-CB G514D-LS	
G514C-B G514C-CB G514C-LS	
G514B-B G514B-CB G514B-LS	

Dimensions: Bench models W 600mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 600mm, D 812mm, H 915mm Incl. splashback 1080mm

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Cooktops outlining construction, features and installation information.

Available as a Bench model only.





PAN FRIED BRIOCHE AND CARAMELISED PEACH, TO BE SERVED WITH WHITE NECTARINE SORBET AND MEYER LEMON CURD.

Standard rear rollers

servicing even easier.

make inline cleaning and



 \mathbf{a}

variations.

G518D-B

G518D-CB G518D-LS

G518D-RB

G518C-B G518C-CB G518C-LS G518C-RB

G518B-B G518B-CB

G518B-LS G518B-RB

Gas Cooktops 1200mm

Refrigerated Bas3


Blue Seal 8 Burner Cooktop

Base, with Leg Stand or with

Available in Bench, with Cabinet

Gas Cooktops 900mm

Blue Seal 6 Burner Cooktop variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.



Dimensions: Bench models W 900mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 900mm, D 812mm, H 915mm Incl. splashback 1080mm



Standard Features.

Heavy-duty 304 grade stainless steel finish Heavy-duty 2.4kW radiant elements 2, 4 or 6 element size configuration Heavy-duty reinforced control knobs Thermostatically controlled 12mm griddle plate Mounted on leg stand with suite matching shelf Adjustable feet at front with rear rollers Easy clean, installation and service

Options.

Choice of Griddle surface – smooth, ribbed or both 2kW solid plates Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Adjustable feet at rear

Accessories.

Mobile castor kit Joining caps





Electric Cooktops 300mm

Blue Seal 2 Element Cooktop variations. Available as a Bench model only.



Dimensions: W 300mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: Bench models W 600mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 600mm, D 812mm, H 915mm Incl. splashback 1080mm

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Cooktops outlining construction, features and installation information.



variations.

E514D-B E514D-CB E514D-LS E514C-B E514C-CB

E514C-LS

E514B-B E514B-CB E514B-LS



G518A-B G518A-CB G518A-LS G518A-RB Dimensions: Bench models W 1200mm, D 812mm, H 315mm

Incl. splashback 480mm

Dimensions: All other models

W 1200mm, D 812mm, H 915mm Incl. splashback 1080mm

Chill where you cook. The inclusion of

refrigeration units into the cooking line means raw materials can be safely stored nearby.





E516D-LS

Electric Cooktops 600mm

Blue Seal 4 Element Cooktop

Available in Bench, with Cabinet Base or with Leg Stand models.





Blue Seal 6 Element Cooktop variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

E516D-B E516D-CB E516D-LS E516D-RB	
E516C-B E516C-CB E516C-LS E516C-RB	
E516B-B E516B-CB E516B-LS E516B-RB	
E516A-B E516A-CB E516A-LS E516A-RB	

Dimensions: Bench models W 900mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 900mm, D 812mm, H 915mm Incl. splashback 1080mm

Induction Cooktops.

The new Blue Seal Evolution Series range of induction cooktops utilise large 270mm induction zones that automatically detect various sized cooking pans. The cooking zone switches off when the pan is removed. Each induction model is equipped with either two or four 5kW heavyduty induction zones that have variable power controls for each cooking zone. The overall construction is a heavy-duty 6mm thick ceramic glass,

enabling pans to glide across the cooking surface, combined with signature Blue Seal Evolution welded 1.5mm stainless steel bull nose.



All induction cooktops are supplied with suite matching modular cabinet bases with doors and adjustable feet as standard.

The control design is a large control knob for each induction zone with a (green) indicator light including pan detection indication. Blue Seal Evolution induction cooktops offer the additional benefits of reduced energy consumption and lowering the amount of latent heat in the cooking area.

Standard Features.

Heavy-duty construction 5kW rated induction cooking zones 270mm diameter induction cooking zones 2 or 4 induction cooktop configuration Fully sealed 6mm thick ceramic cooking surface Adjustable stainless steel legs Large easy use control knob Automatic pan detection

Accessories.

Mobile castor kit





IN512-CB

Electric Induction Cooktops 450mm

Cooktop. standard.

IN512-CB

Dimensions: W 450mm, D 812mm, H 915mm Incl. splashback 1080mm

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Induction Cooktops outlining construction, features and installation information.



Blue Seal 2 Induction zone

Available with Cabinet Base as



IN514-CB

Electric Induction Cooktops 900mm

Blue Seal 4 Induction zone Cooktop. Available with Cabinet Base as standard.

IN514-CB

Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1080mm

BLUE SEAL EVOLUTION SERIES®

15



Oven Ranges.

Whatever the scale of operation, Blue Seal Evolution Series Oven Ranges have a gas or electric option to suit.

Gas options come equipped with our 28MJ open cooktop burners, while the electric versions offer a choice of heavy-duty 2.4kW radiant elements, or 2kW solid plates.

Within the oven itself, cast iron sole plates ensure even heat distribution. Heavy-duty motors and circulation fans in the convection ovens reduce cooking times and enable food to be cooked at lower temperatures.

Gas Cooktop Ranges.

Standard Features.

Heavy-duty 304 grade stainless steel finish 28MJ rated open burners 2, 4, 6 or 8 burner cooktop configuration Flame failure protection on all burners Heavy-duty cast iron burners and vitreous enamel pot stands Heavy-duty reinforced control knobs Drop down door with welded frame Fully welded and vitreous enamelled oven liner Cool touch stainless steel door handle Adjustable feet at front with rear rollers Easy clean, installation and service

Options.

Gas and Electric, Static and Convection Flame failure with standing pilot Choice of Griddle surface – smooth, ribbed or both Adjustable feet at rear

Accessories.

Solid top simmer plates Mobile castor kit Joining caps





Blue Seal 4 Burner Static Oven. G505D

Gas Range Convection Oven 750mm

Blue Seal 4 Burner Convection Oven. G54D



Blue Seal 4 Burner Electric Static Oven. GE505D



Gas Range Electric Convection Oven 750mm

Blue Seal 4 Burner Electric Convection Oven. GE54D

Blue Seal 4 Burner Oven Hob variations.



G505C G54C GE505C W 600mm, D 812mm, H 915mm GE54C

> Dimensions: W 750mm, D 812mm, H 915mm Incl. splashback 1080mm

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Oven Ranges outlining construction, features and installation information

G504D

Static Oven 600mm

Blue Seal 4 Burner

Static Oven variations.

XX

Gas Range

G504D

G504C

G504B

Dimensions

Incl. splashback 1080m







Gas Range

G506D

Static Oven 900mm Blue Seal 6 Burner Static Oven.

Gas Range Convection Oven 900mm

Blue Seal 6 Burner Convection Oven. G56D

 \Diamond Gas Range Electric Static Oven 900mm


Blue Seal 6 Burner Electric Static Oven. GE506D

Gas Range Electric Convection Oven 900mm

Blue Seal 6 Burner Electric Convection Oven.

GE56D

Blue Seal 6 Burner Oven Hob variations.





Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1080mm



Gas Range Static Oven 1200mm Blue Seal 8 Burner Static Oven. G508D

Gas Range Convection Oven 1200mm

Blue Seal 8 Burner Convection Oven.

G58D

Gas Range Electric Static Oven 1200mm Blue Seal 8 Burner Electric Static Oven.


Gas Range

GE508D

Electric Convection Oven 1200mm

Blue Seal 8 Burner Electric Convection Oven. GE58D

Blue Seal 8 Burner Oven Hob variations.



Dimensions: W 1200mm, D 812mm, H 915mm Incl. splashback 1080mm



Dimensions: W 1200mm, D 812mm, H 915mm Incl. splashback 1080mm

Easy clean, vitreous enamel interior offers 2/1 Gastronorm capacity and generous crown height. Durable cast iron sole plates provide excellent heat retention and recovery.



Electric Cooktop Ranges.

Standard Features.

Heavy-duty 304 grade stainless steel finish Heavy-duty 2.4kW radiant elements 4 or 6 element size configuration Six temperature settings with simmer setting Heavy-duty reinforced control knobs 12mm griddle plate Drop down door with welded frame Fully welded and vitreous enamelled oven liner Cool touch stainless steel door handle Easy clean, installation and service

Options.

Choice of Griddle surface – smooth, ribbed or both 2kW solid plates Electric – static and convection Adjustable feet at rear


Accessories. Mobile castor kit

Joining caps

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Oven Ranges outlining construction, features and installation information



20





Target Tops.

Blue Seal Evolution Series 900mm Target Tops come as stand-alone hobs, or with a choice of four base units – cabinet base, leg stand, refrigeration base, or oven base (static/convection, gas/electric).

A high output, dual ring cast-iron burner enables the super heavy-duty Target Top castings to deliver outstanding heat control and recovery. A burner box lined with 50mm refractory ceramic blocks provides excellent thermal efficiency.

Standard Features.

Heavy-duty 304 grade stainless steel finish 45MJ dual ring cast iron burner Flame failure protection and pilot burner Top plates and removable centre with spill protection design Heavy-duty reinforced control knobs Mounted on leg stand with suite matching shelf Adjustable feet at front with rear rollers Target Top Oven Range includes: Drop down door with welded frame Fully welded and vitreous enamelled oven liner Cool touch stainless steel door handle Easy clean, installation and service

Options.

Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Adjustable feet at rear

Accessories.

Joining caps Mobile castor kit



Target Top 900mm Blue Seal Target Top variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.



Dimensions: Bench models W 900mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 900mm, D 812mm, H 915mm Incl. splashback 1080mm

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Target Tops and Target Top Ranges outlining construction, maintenance and installation information.



BL



Heat is delivered by a 45MJ dual ring, cast iron burner, with single control.

Gas Target Top Static Oven 900mm

Blue Seal Target Top Static Oven. 6570

Gas Target Top Convection Oven 900mm

Blue Seal Target Top Convection Oven.

G576

GE576

Gas Target Top Electric Static Oven 900mm

Blue Seal Target Top Electric Static Oven.

GE570

Gas Target Top Electric Convection Oven 900mm

Blue Seal Target Top Electric Convection Oven.

GE576

Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1080mm

Griddles.

Instruments of mass creation.

Blue Seal Evolution Series heavy-duty gas and electric Griddles are available in 600, 900 and 1200mm widths. Gas Griddle Ranges are available in 900 and 1200mm, with electric ovens (static or convection).

Electric Griddle Ranges are available in 900mm, with electric ovens (static or convection).



With solid and seamless weld construction all heavy-duty Griddles have a standard 20mm plate for maximum heat retention and distribution. They are thermostatically controlled for accurate temperature setting, and are available in smooth or ribbed machine finished mild steel plate.

A mirror chrome surface option, also available as smooth or ribbed, minimises heat loss by trapping more heat on the cooking surface.

Standard Features.

Heavy-duty 304 grade stainless steel finish Thermostatic control 20mm thick machined top plates Full pilot and flame failure protection Top weld sealed plates Stainless steel grease drawer Heavy-duty reinforced control knobs Push-button piezo ignition Mounted on leg stand with suite matching shelf Adjustable feet at front with rear rollers Easy clean, installation and service

Options.

Chromed mirror plate option Bench mounted Adjustable feet at rear

Accessories.

Joining caps Mobile castor kit



Ask for a detailed specification sheet on the Blue Seal Evolution Series Griddles outlining construction, features and installation information.

Choice of Griddle surface – smooth, ribbed or both

Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath



Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

GP518-B GP518-CB GP518-LS GP518-RB

Dimensions: Bench models W 1200mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 1200mm, D 812mm, H 915mm Incl. splashback 1080mm



SEARED SCALLOPS SOON TO BE COMPLEMENTED BY JERUSALEM ARTICHOKE PUREE, WILD HERB SALAD AND VANILLA OIL.



The 3mm splashguard is a fully welded hob surround providing extra durability and ease of cleaning.



EP514-LS

Electric Griddle 600mm

Blue Seal Griddle variations. Available in Bench, with Cabinet Base or with Leg Stand models.

EP514-B EP514-CB EP514-LS

Dimensions: Bench models W 600mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 600mm, D 812mm, H 915mm Incl. splashback 1080mm



N Electric Griddle 900mm



Dimensions: Bench models W 900mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 900mm, D 812mm, H 915mm Incl. splashback 1080mm

Ask for a detailed specification sheet on the Blue Seal Evolution Series Griddles outlining construction, features and installation information. Heavy-duty control knobs with strengthened shafts are designed to last. Non-fade temperature markings provide accurate heat settings for more consistent results.



EP518-LS



Electric Griddle 1200mm

Blue Seal Griddle variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

EP518-B EP518-CB EP518-LS EP518-RB

Dimensions: Bench models W 1200mm, D 812mm, H 315mm Incl. splashback 480mm

Dimensions: All other models W 1200mm, D 812mm, H 915mm Incl. splashback 1080mm

Blue Seal Griddle variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.





 $\Diamond \checkmark \equiv$ Gas Griddle Electric Static Oven 900mm

Blue Seal Gas Griddle Electric Static Oven. GPE506

Gas Griddle Electric Convection Oven 900mm

Blue Seal Gas Griddle Electric Convection Oven. GPE56

Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1080mm

♦ 🖊 📃 Gas Griddle Electric Static Oven 1200mm Blue Seal Gas Griddle Electric Static Oven. GPE508

Gas Griddle Electric Convection Oven 1200mm

Blue Seal Gas Griddle Electric Convection Oven. GPE58

Dimensions: W 1200mm, D 812mm, H 915mm Incl. splashback 1080mm



Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1080mm

Performance.





radiants performs two functions – cooking up top and grilling down below – without compromising cooking time or performance.

The burners heat the 16mm thick grill plate above them, while the radiants reflect heat to the toasting rack below.

The Blue Seal Evolution Series Griddle Toaster is a must-have addition to any operation requiring the simultaneous production of toasted and grilled food. One set of specially designed burners and stainless steel

Ask for a detailed specification sheet on the Blue Seal Evolution Series Griddle Ovens and Griddle Toaster outlining construction, features and installation information.

Griddle Toaster.



Gas Griddle Toaster 600mm G55T Dimensions: W 600mm, D 812mm, H 915mm Incl. splashback 1080mm

Chargrills.

The sheer performance of the Blue Seal Evolution Series Chargrills is delivered through powerful stainless steel burners and radiants that generate maximum heat for sealing in meat flavours.

The grooved fin design and inclined position of the heavy-duty cast iron grates reduces flare by enabling grease to run off into a front collection channel. Drop-on 300 and 450mm griddle sections can also be interchanged with the grates.





duty grates are reversible.

Standard Features.

Heavy-duty 304 grade stainless steel finish Reversible heavy-duty top grates Inclined position to reduce flare and enhance grease run 33MJ/hr stainless steel burners per 300mm section Flame failure with continuous pilot burner Lift out grates, radiants and baffles for cleaning Heavy-duty reinforced control knobs Mounted on leg stand with suite matching shelf Adjustable feet at front with rear rollers Easy clean, installation and service

Options.

Adjustable feet at rear

Accessories.

Interchangeable drop-on griddle plates Mobile castor kit Joining caps



G594-LS





G592-B

Gas Chargrill 300mm

Blue Seal Chargrill. Available in Bench model.

Dimensions: W 300mm, D 812mm, H 315mm Incl. splashback 480mm

G592-B



G594-LS

Gas Chargrill 600mm

Dimensions: W 600mm, D 812mm, H 915mm Incl. splashback 1080mm

G596-LS

Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1080mm



Interchangeable drop-on griddle plates.



A grease channel running along the base of each grill fin allows cooking juices to run off during inclined use.

G598-LS

Dimensions: W 1200mm, D 812mm, H 915mm Incl. splashback 1080mm

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Chargrills outlining construction, features and installation information.



Salamanders.

Blue Seal Evolution Series Gas and Electric Salamanders are versatile, easy to use and well equipped with performance features. They can be used for melting, grilling, gratinating and toasting.

Gas models feature energy efficient high-speed infrared burners for fast results. The E91 electric model features powerful 3kW twin coil elements for optimum cooking performance. The new E90 with self balancing adjustable height features twin 1.8kW elements.

Both gas and electric options will accept a Gastronorm GN 1/1 tray. An optional branding plate is ideal for cooking fish or steak.

Standard Features.

Heavy-duty 304 grade stainless steel finish Powerful 2 x 3kW elements or 2 x infrared 15.5MJ burners (91 models) E90 model features 2 x 1.8kW elements Piezo ignition and flame faliure protection on each burner (gas models) Left and right hand heat control Wall mounting bracket Easy clean, installation and service Bottom collection tray

Accessories. Branding plate



G91

Gas Salamander 900mm



E91B

Electric Salamander 900mm

E91 Four position racking (flat or inclined)

E91B

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Salamanders outlining construction, features and installation information.



Blue Seal Salamander. Suitable for bench or wall mounting. G91

Four position racking (flat or inclined) G91B

Four position racking (flat or inclined) with branding plate Dimensions: W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm

Dimensions: W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm







E90

Adjustable Electric Salamander 600mm

Blue Seal Adjustable Salamander. Suitable for bench or wall mounting. E90

Self balancing adjustable grill height

Dimensions: W 600mm, D 510mm (540mm with wall mounting bracket), H 514mm





Blue Seal Salamander. Suitable for bench or wall mounting.

Four position racking (flat or inclined) with branding plate

Fryers.

Blue Seal has long been recognised for the quality and performance of its Fryers. The Blue Seal Evolution Series takes this a stage further with a sleeker, more streamlined Fryer range – available in 450 or 600mm single or twin pan versions. Gas units feature Blue Seal's unique Vee Ray technology, incorporating patented infrared burners for industry leading frying output and recovery.

All Fryers are available with either mechanical or digital controls. Digital control models offer precise temperature control, three product timers, as well as time and temperature digital display. Twin pan models have independent digital controls for each pan and six product timers.

Standard Features.

Heavy-duty 304 grade stainless steel finish Gas models feature the patented infrared burner system Easy clean stainless steel open pan with 10-year limited warranty 32mm drain valve Over temperature safety cut out Stainless steel exterior Fully modular Baskets and lids included Adjustable feet at front with rear rollers Easy clean, installation and service Options.

Digital display electronic controls Blue Seal Filtamax Filtration System Adjustable feet at rear

Accessories.

Extra baskets Side splash guards Mobile castor kit Joining caps



VEERAY



Twin pan electronic models have independent digital controls for each pan and six product timers.



Blue Seal Vee Ray Single Pan Gas Fryer variations 20 litre capacity

GT45 Mechanical controls

GT45E Digital display electronic controls

Blue Seal Vee Ray Twin Pan Gas Fryer variations. 13 litre capacity each pan

GT46 Mechanical controls

GT46E Digital display electronic controls

Dimensions: W 450mm, D 812mm, H 915mm Incl. splashback 1080mm

E44 Mechanical controls E44E Digital display electronic controls

Mechanical controls E43E Digital display electronic controls

Blue Seal Twin Pan Electric Fryer variations. 12 litre capacity each pan

F43

Dimensions: W 450mm, D 812mm, H 915mm Incl. splashback 1080mm

Blue Seal's unique twin pan fryers offer high performance and versatility.

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Fryers outlining construction, features and installation information.





Filtamax Filtration System.

Filtamax is the ideal companion for Blue

Seal Evolution Series Fryers because it

from the oil that would otherwise burn

Filtamax works with premium vegetable

oils and shortenings, extending the life

of your oil and reducing the costs of

away neatly under your fryer.

Standard Features.

means no spillages

Carbon pad upgrade kit

500 applications)

Drain adaptor kit

Drain extension kit

flush out

Options.

Robust, powerful pump

replacement. It's easy to use - taking

just 10 minutes to drain, filter and refill a 26-litre tank. When not in use, it tucks

Reverse motor action for total system

Heavy-duty, insulated locking handle

Easy clean, reusable filter bags (up to

and taint the food.

enhances flavours by removing particles

More Power to Fry with HPO. When the job calls for high volume, constant production of fried food, Blue Seal Evolution Series High Power Output (HPO) fryers lift performance to another level again.

Increased production (up to 50kg/ hr) and superior recovery times are made possible through a blower system that pushes greater volumes of air and gas through specially designed ceramic fibre burners. More heat is absorbed by the oil, resulting in lower flue exhaust temperatures and lower production costs per kilo.



 \diamond Gas Fryer 600mm

Blue Seal Evolution Vee Ray Single Pan Gas Fryer variations. 31 litre capacity

GT60 Mechanical controls

GT60E Digital display electronic controls

HPO Fryer - High Power Output infra-red burner system

GT60-HPO Electronic controls

Dimensions: W 600mm, D 812mm, H 915mm Incl. splashback 1080mm

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Fryers and Filtamax outlining construction, features and installation information



Filtamax is out of sight. Tuck it under your fryer and close the door!



N Electric Filtamax

Blue Seal Filtamax 20 litre capacity EF30

Dimensions: W 324mm, D 683mm, H 562mm Blue Seal Filtamax 30 litre capacity EF35

Dimensions: W 324mm, D 735mm, H 562mm

Blue Seal Filtamax 32 litre capacity

EF40

Dimensions: W 474mm, D 683mm, H 562mm

Bratt Pans.

Big on performance, the Blue Seal Evolution Series of tilting Bratt Pans has been expanded to include 80 litre (900mm wide) and 120 litre (1200mm wide) options in gas or electric. Designed for convenient high capacity batch cooking, all models offer manual or electric pan tilting for easy portion control. Easy clean, easy service and superb finishing make the Bratt Pan a welcome addition to any Blue Seal Evolution Series kitchen.

Standard Features.

Heavy-duty 304 grade stainless steel finish Manually operated tilting mechanism Heavy-duty lid and hinge system Galvanised steel chassis Stainless steel exterior Full stainless steel pan with 2mm pan body 12mm thick stainless steel even heat pan base Large capacity pouring spout Heavy-duty stainless steel legs with adjustable feet Large easy-to-use control knobs heat resistant reinforced Thermostatic control Over temperature safety cut-out Fold away handle on manual pan tilt Easy clean, installation and service

Options. Electric power tilting mechanism

Accessories. Joining caps



Tilting Bratt Pan 900mm Blue Seal 80 litre Gas Bratt Pan variations. G580-8 Manually operated tilting mechanism G580-8E Electric power tilting mechanism

Pan variations E580-8 mechanis E580-8E

Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1080mm With lid open 1600mm

36





Blue Seal 80 litre Electric Bratt

Electric power tilting mechanism



Tilting Bratt Pan 1200mm Blue Seal 120 litre Gas Bratt Pan variations. **G580-12** Manually operated tilting mechanism

6580-12E Electric power tilting mechanism

Blue Seal 120 litre Electric Bratt Pan varia E580-12

mechanis E580-12E

Dimensions: W 1200mm, D 812mm, H 915mm Incl. splashback 1080mm With lid open 1600mm

Get serious about pasta.





Pasta Cooker.

The Blue Seal Evolution Series Pasta Cooker is built for speed. Fully modular, and featuring a unique pan design, it comes well equipped for the continuous production of perfect pasta.

From variable high boil to standby simmer our patented infrared burner system in gas, or powerful elements in electric, maintains constant water temperature and enables faster turnaround of product through outstanding recovery times from low heat settings. The standard provision of four baskets allows four different pastas to be cooked at the same time.

Standard Features.

Unique pan design

Fine adjustment water faucet for pan filling Starch-skimming system for constant water freshness 316 grade stainless steel pan for extra resistance to salt effects 10-year limited warranty on stainless steel pan 25mm drain valve for safe and easy cleaning Four stainless steel pasta baskets - 165mm x 165mm Safety cut out thermostat for empty pan/water boil out Hinged basket drain stand Removable basket support grid Heavy-duty stainless steel legs with adjustable feet Easy clean, installation and service

Options. Rectangular baskets - 320mm x 165mm

Accessories. Side splashguards Joining caps



Pasta Cooker 450mm

G47



Ask for a detailed specification sheet on the Blue Seal Evolution Series Pasta Cooker outlining construction, features and installation information.



Blue Seal Single Pan Gas Pasta Cooker. 40 litre capacity

Dimensions: W 450mm, D 812mm, H 915mm Incl. splashback 1080mm



Pasta Cooker 450mm Blue Seal Single Pan Electric Pasta Cooker. 40 litre capacity

<mark>E47</mark> 10.5kW 3 phase E47-7

7kW 1 phase

Dimensions: W 450mm, D 812mm, H 915mm Incl. splashback 1080mm

Space to create.

New to the Blue Seal Evolution Series - Bench Tops in width sizes to streamline your kitchen - 450mm, 600mm and 900mm available with cabinet base, leg stand or refrigerated base (900mm only).

Bench Tops.

Standard Features.

3.5mm thick compound work surface - 1.5mm heavy-duty 304 grade stainless steel top - 2.0mm galvanised steel backing Mounted on leg stand with suite matching shelf Adjustable feet at front with rear rollers

Options.

Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath on 900mm models Adjustable feet at rear Accessories. Joining caps Mobile castor kit

Benches give you the option of extra work area, storage and refrigeration.

Bench Tops 900mm

Base models.

B90-CB B90-LS

B90-RB

Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1085mm









Blue Seal Bench Top variations. Available with Cabinet Base or with Leg Stand models.

Dimensions: W 450mm, D 812mm, H 915mm Incl. splashback 1085mm

Dimensions: W 500mm, D 812mm, H 915mm Incl. splashback 1085mm



Bench Tops 450mm









Bench Tops 600mm Blue Seal Bench Top variations. Available with Cabinet Base or with Leg Stand models.

B60-CB B60-LS





Blue Seal Bench Top variations. Available with Cabinet Base, with Leg Stand or with Refrigerated



Bench Tops 900mm

with Salamander support Blue Seal Bench Top variations. Available with Cabinet Base, with Leg Stand or with Refrigerated Base models.

B90S-CB B90S-LS B90S-RB

Dimensions: W 900mm, D 812mm, H 915mm Incl. splashback 1085mm

Ask for a detailed specification sheet on any of the Blue Seal Evolution Series Bench Tops outlining construction, features and installation information.



Evolution. It's a revolution.







On call service where you are.

Moffat provides full service backup, 24 hours a day, 7 days a week.

Our own Technical Service Department provides full support to a team of trained service personnel in each of our branches.

Strategically placed, authorised service providers offer backup to outlying areas and a national toll free number enables immediate access to our service network.

1800 622 216 Moffat Australia or 0800 663 328 Moffat New Zealand.

. 7027 . 6869 . 6872 . 6878 . 4337 . 6902 . 6901 . 6892 . 6892

b. 6913

o. 6913 o. 6918

o. 6918

o. 6923

. 6898 . 7088

6882

6882

o. 6125



Blue Seal Evolution Series AGA Gas Certified Products

Gas Pasta Cooker - G47	Cert.No
Gas Griddle Toaster - G55T	Cert.No
Gas Target Top - G57	Cert.No
Gas Chargrill - G592, G594, G596, G598	Cert.No
Gas Salamander - G91	Cert.No
Gas Cooktop - G512, G514, G516, G518	Cert.No
Gas Range Static Oven 600mm - G504, G528	Cert.No
Gas Range Static Oven - G505, G506, G508	Cert.No
Gas Range Electric Static Oven - GE505, GE506, GE508	Cert.No
Gas Range Convection Oven - G54, G56, G58	Cert.No
Gas Range Electric Convection Oven - GE54, GE56, GE58	Cert.No
Gas Target Top Range - G570, G576	Cert.No
Gas Target Top Range Electric Oven - GE570, GE576	Cert.No
Gas Bratt Pan - G580-8(E), G580-12(E)	Cert.No
Gas Griddle Plate - GP514, GP516, GP518	Cert.No
Gas Griddle Range Electric Oven - GPE506, GPE56, GPE508, GPE58	Cert.No
Gas Fryer - GT45, GT46, GT60	Cert.No
Gas Fryer DigitalControl - GT45E, GT46E, GT60E	Cert.No
Gas HPO Fryer - GT60HPO	Cert.No



Our network of dealer showrooms is well resourced to provide all the information you need on the Blue Seal Evolution Series. To see it in action, book in for a demonstration at a Blue Seal Test Kitchen near you. Our skilled chefs and knowledgeable sales team will help you in selecting the right appliances for your kitchen.

Introductory sessions can be booked online. www.moffat.com.au Moffat Australia or www.moffat.co.nz Moffat New Zealand.

Join the Evolution.

MOFFAT

Australia www.moffat.com.au

New Zealand www.moffat.co.nz www.bluesealevolution.com

> Australia Moffat Pty Limited

Victoria/Tasmania 740 Springvale Road Mulgrave, Victoria 3170 Telephone 03-9518 3888 Facsimile 03-9518 3833 vsales@moffat.com.au

New South Wales Telephone 02-8833 4111 nswsales@moffat.com.au

South Australia Telephone 03-9518 3888 vsales@moffat.com.au

Queensland Telephone 07-3630 8600 qldsales@moffat.com.au

Western Australia Telephone 08-9202 6820 bgarcia@moffat.com.au

New Zealand Moffat Limited

Christchurch 16 Osborne Street Christchurch 8011 Telephone 03-389 1007 Facsimile 03-389 1276 sales@moffat.co.nz

Auckland Telephone 09-574 3150 sales@moffat.co.nz



ISO9001 Quality Management Standard

Designed and manufactured by



ISU9001 ALI Blue Seal products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd Moffat/1219/9.11

